




Think Absorbable. Think Bezwada Biomedical
EB Bezwada Biomedical, LLC

NEW BUILDING BLOCKS



EB Bezwada Biomedical, LLC

www.bezwadabiomedical.com
email: info@bezwadabiomedical.com

15 Ilene Court, Hillsborough, New Jersey, 08844
Tel: 908-281-7529 Fax: 908-359-1179



GENERAL INFORMATION

How to order:

To place an order, please write or fax to:

Bezwada Biomedical LLC
15 Ilene Court , Suite 1
Hillsborough, NJ 08844 U.S.A.

Telephone: (908) 281-7529
e-mail: info@bezwadabiomedical.com

Fax: (908) 359-1179

Specify the chemical name, the catalog number, the quantity and your purchase order number.

Terms and conditions of sale:

Terms are F.O.B. Hillsborough, New Jersey. Net 10 days. Prices shown are in U.S. dollars and are subject to change. All orders are insured at the buyers' expense. Applicable taxes and shipping charges will be added to the invoice.

Chemicals marked "with HPLC" or "with GC" are supplied with an actual analysis as determined by high-pressure liquid chromatography or gas chromatography, respectively. These compounds have catalog numbers with suffix letter S.

Discounting information:

Please inquire for substantial savings on bulk quantities or standing annual requirements.

Liability:

Some of the chemicals listed may be toxic or otherwise hazardous, and they should be handled by qualified individuals trained in laboratory procedures. The information and data given in this catalog are correct to the best of our knowledge, but their accuracy is not guaranteed. Bezwada Biomedical LLC, will not be responsible for any loss or damage involving the use of our chemicals or products beyond the purchase price.

No returns are accepted without prior written authorization, unless we made an error in shipment.

The listing of any products in our catalog does not imply the absence of patents, and does not constitute license under any existing or pending patent. We are not responsible for any patent infringement resulting from the use of our products. The information, statements and recommendations in this brochure are to the best of our knowledge, information and belief accurate at the date of publication. Nothing herein is to be considered as a warranty, expressed or otherwise. In all cases, it is the responsibility of readers and users to determine the applicability of such information for their own particular purpose

All compounds listed in this catalog are for research and development purposes only. They may not be used as drugs, food additives, cosmetics, household chemicals, or for any other non-laboratory purpose.


Delivery:

Period of delivery will be given upon receipt of an inquiry or order.




19-1320 **2-Acetamido-3-(4-carboxymethoxy)phenyl) propanoic acid**

$C_{13}H_{15}NO_6$
MW 281.27




19-1321 **2-Acetamido-3-(4-hydroxyphenyl) propanoic acid**

$C_{11}H_{13}NO_4$
MW 223.23




19 -1256 **2-(4-Acetamidophenoxy) acetic acid**

$C_{10}H_{11}NO_4$
MW 209.20




19-1099 **2-Acetoxy-benzoic acid benzyloxy carbonyl methyl ester**

$C_{18}H_{16}O_6$
MW 304
mp 91-92.5⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-1103 **2-Acetoxy-benzoic acid 4-bromo-butoxy carbonyl methyl ester**

$C_{15}H_{17}BrO_6$
MW 373.20
Light yellow liquid
Soluble in chloroform
Structure confirmed by NMR



19-1351 **2-Acetoxy-benzoic acid carboxymethyl ester**

$C_{11}H_{10}O_6$
MW 214
mp 130-131.5
White powder
Structure confirmed by NMR





19-1105 **2-Acetoxy-benzoic acid 4-nitroxy-butoxy carbonyl methyl ester**


$C_{15}H_{17}NO_9$

MW 355.30

Light yellow liquid

Soluble in Chloroform

Structure confirmed by NMR



19-788 **(4-Acetoxy-methyl-2-methoxy-phenoxy)-acetic acid methyl ester**


$C_{13}H_{16}O_6$

MW 268.27

bp₁₅ 210°C

Colorless syrup

Soluble in chloroform



19-789 **(4-Acetoxy-methyl-phenoxy)-acetic acid methyl ester**


$C_{12}H_{14}O_5$

MW 238.24

bp₁₅ 205-210°C

Light yellow syrup

Soluble in chloroform



19-879 **2-Acetylamino-3-[4-(2-benzyloxy-acetoxy)-phenyl]-propionic acid methyl ester**

$C_{21}H_{23}NO_6$


MW 385.42

mp 90.8-92.2°C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-880 **2-Acetylamino-3-(4-carboxymethoxy-phenyl)-propionic acid**

$C_{13}H_{15}NO_6$

MW 281.27

Light yellow syrup

Soluble in chloroform





19-881 **2-Acetylamino-3-[4-(2-hydroxy-acetoxy)-phenyl]-propionic acid methyl ester**

$C_{14}H_{17}NO_6$


MW 295.29

mp 132-134°C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-882 **2-Acetylamino-3-(4-hydroxy-phenyl)-propionic acid**

$C_{11}H_{13}NO_4$

MW 223.23

Light yellow syrup

Soluble in chloroform



19-883 **2-Acetylamino-3-(4-hydroxy-phenyl)-propionic acid methyl ester**


$C_{12}H_{15}NO_4$

MW 237.26

mp 134-135.5°C

White shining powder

Soluble in DMF




19-884 **2-Acetylamino-3-(4-hydroxy-phenyl)-propionic acid methoxycarbonylmethyl ester**

$C_{14}H_{17}NO_6$

MW 295.29

White shining powder


Structure confirmed by NMR



19-1267 **2-{2-Acetylamino-3-(4-hydroxy-phenyl)-propionylamino]-3-(4-hydroxy-phenyl)-propionic acid methyl ester**

$C_{21}H_{24}N_2O_6$

MW 400.44





19-885 **2-Acetylamino-3-(4-methoxycarbonylmethoxy carbonyl methoxy-phenyl)-propionic acid methoxy carbonyl methyl ester**

$C_{19}H_{23}NO_{10}$


MW 425.40

mp 93-96°C

White powder

Soluble in chloroform


Structure confirmed by NMR



19-1268 **2-[2-Acetylamino-3-(4-methoxycarbonylmethoxy-phenyl)-propionylamino]-3-(4-methoxycarbonyl-methoxy-phenyl)-propionic acid methyl ester**

$C_{27}H_{32}N_2O_{10}$


MW 544.56



19-886 **2-Acetylamino-3-(4-methoxycarbonylmethoxy-phenyl) propionic acid methoxy carbonyl methyl ester**

$C_{17}H_{21}NO_8$

MW 367.36



19-887 **2-Acetylamino-3-(4-methoxycarbonylmethoxy-phenyl)-propionic acid methyl ester**

MW 309.32


$C_{15}H_{19}NO_6$

mp 113-115°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-888 **(4-Acetylamino-phenoxy)-acetic acid methoxy carbonylmethyl ester, 98%**

$C_{13}H_{15}NO_6$


MW 281.27

mp 98.6-101.5°C

Off-white powder

Soluble in chloroform

Structure confirmed by NMR





19-715 6-(4-Acetylamino-phenoxy)-hexanoic acid methyl ester, 99%

$C_{15}H_{21}NO_4$


MW 279.34

mp 96.4-98.8°C

White powder

Soluble in chloroform

Structure confirmed with NMR



19-577 (4-Acetylamino-phenoxy)acetic acid ethyl ester, 98%


$C_{12}H_{15}NO_4$

MW 237.26

mp 104-105.7°C

White powder

Soluble in chloroform



19-537 (2-Acetyl-4-ethoxycarbonylmethoxy-phenoxy)-acetic acid ethyl ester, 98%


$C_{16}H_{20}O_7$

MW 324.33

mp 56.8-59°C

Wheat colored powder

Soluble in Chloroform




19-1258 4-Amino-benzoic acid methoxycarbonylmethyl ester

$C_{10}H_{11}NO_4$

MW 209.20

mp 116-118 °C


White powder



19-1259 4-Amino benzoic acid methyl ester

$C_8H_9NO_2$

MW 151.17



19-889 2-Amino-3-(4-hydroxy-phenyl)-propionic acid methyl ester

$C_{10}H_{13}NO_3$


MW 195.22

mp 134.5-135.5°C

Cream color shining powder

Soluble in chloroform: Methanol (9:1)


Structure confirmed by NMR






19-582 (4-Aminophenoxy) acetic acid.HCl

$C_8H_9NO_3.HCl$
MW 167.17
mp 224-226 °C
Wheat colored powder
Soluble in water
Structure confirmed by NMR




19-890 (4-Amino-phenoxy) -acetic acid 2-hydroxy-ethyl ester

$C_{10}H_{13}NO_4$
MW 211.22
mp 104-106.3°C
Brown powder
Soluble in chloroform




19-891 (4-Aminophenoxy)- acetic acid methoxycarbonyl methyl ester

$C_{11}H_{13}NO_5$
MW 239.23
mp 76.5-78.5 °C
Light brown shining powder
Soluble in chloroform
Structure confirmed by NMR




19-892 [2-(4-Amino-phenoxy)-ethoxy]-acetic acid methyl ester

$C_{11}H_{15}NO_4$
MW 225.25
mp 51-52°C
Light brown powder
Confirmed with IR and NMR



19-894 6-(4-Amino-phenoxy)-hexanoic acid methyl ester

$C_{13}H_{19}NO_3$
MW 237.30
Thick Brown syrup
Soluble in chloroform
Structure confirmed with NMR





19-893

6-(4-Amino-phenoxy)-hexanoic acid Hydrochloride

$C_{12}H_{17}NO_3 \cdot HCl$


MW 223.27

mp 155-160°C

Brown powder

Soluble in water

Structure confirmed by NMR



19-895

2-(4-Amino-phenoxy)-propionic acid


$C_9H_{11}NO_3$

MW 181.19

mp 175-180 °C

Brown powder

Soluble in chloroform



19-896

2-(4-Amino-phenoxy)-propionic acid 2-[2-(4-amino-phenoxy)-acetoxy]-ethyl ester


$C_{19}H_{22}N_2O_6$

MW 374.40

Dark brown syrup

Soluble in chloroform

Structure confirmed by NMR



19-897

2-(4-Amino-phenoxy)-propionic acid 2-[2-(4-amino-phenoxy)-propionyloxy]-ethyl ester


$C_{20}H_{24}N_2O_6$

MW 388.42

Dark brown syrup

Soluble in chloroform

Structure confirmed by NMR



19-898


2-(4-Amino-phenoxy)-propionic acid methyl ester

$C_9H_{10}O_4$

MW 182.18

Brown syrup

Soluble in chloroform





19-1108

(4-Amino-phenoxyacetyl)-acetic acid 4-amino-phenyl ester

$C_{16}H_{16}N_2O_5$


MW 316.32

mp 122-123 °C

Off white powder

Soluble in DMF

Structure confirmed by NMR



19-1294


2-2'-(2-((2-(4-Aminophenyl)-2-oxoethoxy) carbonyloxy) propane 1,3 bis (2-oxoethane-2,1-diyl) bis (4-aminobenzoate)

$C_{30}H_{29}N_2O_{12}$

MW 623.58

Light yellow syrup

Structure confirmed by NMR



19-1352

Aspirin dimer diol


$C_{24}H_{22}O_{14}$

MW 534.43

mp 99-102°C

White powder

Structure confirmed by NMR



19-1111

Aspirin Dimer

$C_{24}H_{22}O_{12}$


MW 502.44

mp 91-92.5°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1114

Aspirin Trimer


$C_{39}H_{38}O_{18}$

MW 794.73

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR





19-1113

Aspirin Tetramer

$C_{49}H_{44}O_{24}$


MW 1016

mp 90.5-93.5°C

White powder

Soluble in DMF

Structure confirmed by NMR



19-1341

Benzylacetate Functionalized Adipic acid


$C_{24}H_{26}O_8$

MW 442.47

mp 73-75°C

White powder

Structure confirmed by NMR




19-1325

Benzyl Chloroacetate

$C_4H_7ClO_2$

MW 122.55

Colorless



19-1326


Benzyl-6-bromohexanoate

$C_8H_{15}BrO_2$

MW 223.11

bp 160°C

Colorless




19-1327

Benzyl-6(2-(2-oxo-2-(6-oxo-7-phenoxyheptyloxy)ethoxy)acetoxyl) hexanoate

$C_{30}H_{38}O_9$

MW 542.63




19-1328

Benzoyloxy acetic acid-5-chloro-2-(2,4-dichloro-phenoxy)-phenyl ester

$C_{21}H_{15}Cl_3O_4$


MW 437.71






19-1322 2-(2-Benzyloxy)-acetamido)-3-(4-hydroxyphenyl) propanoic acid

$C_{18}H_{19}NO_5$
MW 329.36



19-1323 2-(2-Benzyloxy)-acetamido)-3-(4-(carboxymethoxy)phenyl) propanoic acid

$C_{20}H_{21}NO_7$
MW 387.39




19-1295 Benzylated caprolactone diamine tetraglycolate

$C_{62}H_{60}N_2O_{14}$
MW 1056

Light yellow syrup

Structure confirmed by NMR




19-902 Benzyloxy-acetic acid 4-acetylamino-phenyl ester

$C_{17}H_{17}NO_4$
MW 299.33

mp 106-108.8°C

Light brown powder

Soluble in chloroform



19-903 Benzyloxy acetic acid 4-(2-benzyloxy-acetoxy)-phenyl ester


$C_{24}H_{22}O_6$
MW 406.44

mp 122-124°C

White Powder

Soluble in chloroform

Structure confirmed by NMR





19-901

Benzyloxy-acetic acid 4-[7-(2-benzyloxy-acetoxy)-4-oxo-4H-chromen-3-yl]-phenyl ester

$C_{33}H_{26}O_8$


MW 550.57

mp 147-148.5°C

White powder

Soluble in DMF

Structure confirmed by NMR



19-905

Benzyloxy-acetic acid 4-(2-benzyloxy-acetylamino)-phenyl ester


$C_{24}H_{23}NO_5$

MW 405.45

mp 55.5-58.5°C

Pale brown powder

Soluble in chloroform




19-1356

2-(4-(6-(Benzyloxy)-hexanamido) phenoxy) acetic acid

$C_{21}H_{25}NO_5$

MW 371.44



19-907

4-(2-Benzyloxy-acetoxy)-benzoic acid methyl ester


$C_{17}H_{16}O_5$

MW 300.31

mp 69.7-71°C

White powder

Soluble in chloroform



19-908

2-[6-(2-Benzyloxy-acetoxy)-naphthalen-2-yl]-propionic acid methyl ester


$C_{23}H_{22}O_5$

MW 378.43

mp 58-60°C

White powder

Structure confirmed with NMR





19-909 4-(2-Benzyloxy-acetoxy)-phenoxy]-acetic acid methyl ester

$C_{18}H_{18}O_6$


MW 330.34

mp 54-56⁰C

Pale brown powder

Soluble in chloroform

Structure confirmed by NMR



19-910 6-[4-(2-Benzyloxy-acetoxy)-phenoxy]-hexanoic acid methyl ester


$C_{22}H_{26}O_6$

MW 386.45

Pale brown syrup

Soluble in chloroform

Structure confirmed by NMR



19-911 2-[4-(2-Benzyloxy-acetoxy)-phenoxy]-propionic acid methyl ester


$C_{19}H_{20}O_6$

MW 344.37

Pale Yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-912 3-[4-(2-Benzyloxy-acetoxy)-phenyl]-2-(2-benzyloxy acetyl-amino)-propionic acid methyl ester


$C_{28}H_{29}NO_7$

MW 491.55

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR




19-913 3-[4-(2-Benzyloxy-acetoxy)-phenyl]-2-(2-benzyloxy -acetyl-amino)-propionic acid methoxy carbonylmethyl ester

$C_{30}H_{31}NO_9$

MW 549.58

Pale yellow syrup


Soluble in chloroform






19-1261 **4-(2-Benzyloxy-acetylamino)-benzoic acid methoxycarbonylmethyl ester**

C₁₉H₁₉NO₆
MW 357.37




19-1262 **4-(2-Benzyloxy-acetylamino)-benzoic acid methyl ester**

C₁₇H₁₇NO₄
MW 299.33




19-916 **2-(2-Benzyloxy-acetylamino)-3-[4-(2-hydroxy-acetoxy)phenyl]-propionic acid methoxycarbonylmethyl ester**

C₁₆H₁₉NO₉
MW 369.33
mp 116.5-118.5°C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-917 **2-(2-Benzyloxy-acetylamino)-3-(4-hydroxy-phenyl) propionic acid**

C₁₈H₁₉NO₅
MW 329.36
Light yellow syrup
Soluble in chloroform
Structure confirmed by NMR




19-918 **2-(2-Benzyloxy-acetylamino)-3-(4-hydroxy-phenyl) propionic acid methoxy carbonyl methyl ester**

C₂₁H₂₃NO₇
MW 401.42
mp 93.5-96.2°C
White powder
Soluble in chloroform
Structure confirmed by NMR



19-919 **2-(2-Benzyloxy-acetylamino)-3-(4-methoxycarbonylmethoxy phenyl)-propionic acid methyl ester**

C₂₂H₂₅NO₇
MW 415.45
Light yellow syrup
Soluble in chloroform





19-920 **2-(2-Benzyloxy-acetylamino)-3-(4-methoxycarbonylmethoxy phenyl)-propionic acid 2-methoxycarbonyl-ethyl ester**

$C_{24}H_{27}NO_9$


MW 473.48

mp 42-44⁰C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-921 **[4-(2-Benzyloxy-acetylamino)-phenoxy]-acetic acid methyl ester**


$C_{18}H_{19}NO_5$

MW 329.36

mp 76-77.5⁰C

White powder

Soluble in chloroform



19-922 **6-[4-(2-Benzyloxy-acetylamino)-phenoxy]-hexanoic acid methyl ester**

$C_{22}H_{27}NO_5$


MW 385.46

mp 46-49⁰C

Off -white powder

Soluble in chloroform

Structure confirmed by NMR



19-915 **2-[4-(2-Benzyloxy-acetylamino)-phenoxy]-propionic acid methyl ester**

$C_{19}H_{21}NO_5$


MW 343.38

mp 67-70⁰C

Pale brown powder

Soluble in chloroform


Structure confirmed by NMR



19-1260 **2-Benzyloxy-N-[4-(2-Benzyloxy-acetylamino)-phenyl]-acetamide**

$C_{24}H_{24}N_2O_4$


MW 404.47






19-924 [4-(6-Benzyloxy-hexanoylamino)-phenoxy]-acetic acid methoxycarbonylmethyl ester

$C_{24}H_{29}NO_7$
MW 443.50
mp 71-73⁰C
White powder
Soluble in chloroform




19-925 [4-(6-Benzyloxy-hexanoylamino)-phenoxy]-acetic acid methyl ester

$C_{22}H_{27}NO_5$
MW 385.46
mp 64.6-67⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-926 6-[4-(6-Benzyloxy-hexanoylamino)-phenoxy]-hexanoic acid methyl ester

$C_{26}H_{35}NO_5$
MW 441.57
mp 64-65.6⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-923 2-[4-(6-Benzyloxy-hexanoylamino)-phenoxy]-propionic acid methyl ester

$C_{23}H_{29}NO_5$
MW 399.49
mp 73-76.5⁰C
Pale pink powder
Soluble in chloroform
Structure confirmed by NMR



19-904 2-Benzyloxy-N-(4-hydroxy-phenyl)-acetamide

$C_{15}H_{15}NO_3$
MW 257.29
Pale orange syrup
Soluble in chloroform
Structure confirmed by NMR





19-929 (4-Benzyloxy-phenoxy)-acetic acid methyl ester

$C_{16}H_{16}O_4$


MW 272.30

mp 79-80°C

White fluffy powder

Soluble in chloroform

Structure confirmed by NMR



19-930 6-(4-Benzyloxy-phenoxy)-hexanoic acid methyl ester

$C_{20}H_{24}O_4$


MW 328.41

mp 85-87°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-931 2-(4-Benzyloxy-phenoxy)-propionic acid methyl ester

$C_{17}H_{18}O_4$


MW 286.33

mp 67.5-68.5°C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-1287 2,6-Bis-[2-(2-benzyloxy-acetoxy)-acetylamino]-hexanoic acid methyl ester

$C_{29}H_{36}N_2O_{10}$

MW 572.62

Light yellow syrup



19-1061 2,6-Bis-(2-benzyloxy-acetylamino)-hexanoic acid methyl ester

$C_{25}H_{32}N_2O_6$


MW 456.54

mp 62-65°C

White powder

Soluble in Chloroform

Structure confirmed by NMR






19-1329

Bis (5-chloro-2-(2,4-dichlorophenoxy) phenyl) 2,2'-oxydiacetate

$C_{28}H_{16}Cl_6O_7$

MW 677.15




19-1330

Bis (6-chloro-6-oxohexyl) 2,2'-oxydiacetate

$C_{16}H_{24}Cl_2O_7$

MW 399.27

Light yellow



19-1286


2,6-Bis-(2-hydroxy-acetylamino)-hexanoic acid methyl ester

$C_{11}H_{20}N_2O_6$

MW 276.29

Light yellow syrup

Structure confirmed by NMR



19-932


3-[3,4-Bis-(1-methoxycarbonyl-ethoxy)-phenyl] acrylic acid methyl ester

$C_{18}H_{22}O_8$

MW 366.37

Syrup

Soluble in chloroform



19-583

2,5-Bismethoxycarbonylmethoxy benzoic acid methyl ester


$C_{14}H_{16}O_8$

MW 312.28

mp 90-94 °C

Cream color powder

Structure confirmed by NMR





19-619

**3-(3,4-Bis-Methoxycarbonylmethoxy-phenyl)
acrylic acid methyl ester, 99%**


$C_{16}H_{18}O_8$

MW 338.32

mp 120.2-123.1°C

White powder

Soluble in chloroform



19-1130


Bromo-acetic acid 2-formyl-phenyl ester

$C_9H_7BrO_3$

MW 243.06

Light brown liquid

Soluble in Chloroform



19-1353


**2-(2-Bromo-acetoxy)-benzoic acid 4-nitroxy-butoxy
Carbonyl methyl ester**

$C_{15}H_{16}NBrO_9$

MW 433.9

Light brown syrup

Structure confirmed by NMR



19-1131


2-[6-(2-Bromo-acetoxy)-naphthalen-2-yl]-propionic acid methyl ester

$C_{16}H_{15}BrO_4$

MW 351.20

Dark brown syrup

Structure confirmed by NMR




19-1132

**2-[6-(2-Bromo-acetoxy)-naphthalen-2-yl]-propionic acid 4-nitroxy
-butoxy carbonyl methyl ester**

$C_{21}H_{22}NBrO_9$

MW 511.9

Soluble in Chloroform



19-1062

(2-Bromo-ethoxy) acetic acid


$C_4H_7BrO_3$

MW 183

Light yellow liquid

Soluble in chloroform

Structure confirmed by NMR





19-1063 (2-Bromo-ethoxy)-acetic acid 2-[2-(2-bromo-ethoxy)-acetoxy]-ethyl ester


$C_{10}H_{16}Br_2O_6$

MW 392.04

Light yellow liquid

Soluble in chloroform

Structure confirmed by NMR




19-1289 6-Bromo-hexanoic acid 2-(6-bromo-hexanoyloxy)-ethyl ester

$C_{14}H_{24}Br_2O_4$

MW 326

Light yellow low melting solid

Structure confirmed by NMR



19-1133 6-Bromo-hexanoic acid 3-[4-(6-bromo-hexanoyloxy)-phenyl]-4-oxo-4H-chromen-7-yl ester

$C_{27}H_{28}Br_2O_6$


MW 608.33

mp 102-104^oC

Off-White powder

Soluble in chloroform

Structure confirmed by NMR



19-1134 6-Bromo-hexanoic acid 6-(1-{2-[2-(2-{2-[6-(6-bromo-hexanoyloxy)-naphthalen-2-yl]-propionyloxy}-acetoxy)-acetoxy] ethoxycarbonyl methoxycarbonylmethoxycarbonyl}-ethyl)-naphthalene-2-yl ester

$C_{48}H_{52}Br_2O_{16}$


MW 1044.75

mp 49-50^oC

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1137 2-(6-Bromo-hexanoyloxy)-benzoic acid benzyloxy carbonyl methyl ester

$C_{22}H_{23}BrO_6$


MW 463.33

mp 59-60^oC

White powder

Soluble in chloroform

Structure confirmed by NMR





19-1138

2-(6-Bromo-hexanoyloxy)-benzoic acid carboxy methyl ester

$C_{15}H_{17}BrO_6$


MW 373.20

mp 102-103°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1139

2-(6-Bromo-hexanoyloxy)-benzoic acid 4-nitroxy-butoxy carbonyl methyl ester


$C_{19}H_{24}BrNO_9$

MW 490.31

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-1296


2,2'-(Butane-1,4-diylbis(oxy) bis (2-oxoethane-2,1-diyl) bis (4-aminobenzoate)

$C_{22}H_{24}N_2O_8$

mp 192.7-195.4°C

White powder

Structure confirmed by NMR



19-1297

2,2'-(Butane-1,4-diylbis(oxy) bis (2-oxoethane-2,1-diyl) bis (4-nitrobenzoate)


$C_{22}H_{20}N_2O_{12}$

MW 504.41

mp 122.5-125°C

White powder

Structure confirmed by NMR



19-933

2-[4-(1-Carboxy-ethoxy)-phenoxy]-propionic acid


$C_{12}H_{14}O_6$

MW 254.24

mp 235-239.7°C

White solid

Soluble in DMF






19-934

2-Carboxymethoxy-benzoic acid


$C_9H_8O_5$
MW 196.16
mp 189-192^oC
White powder
Soluble in DMF



19-935

4-Carboxymethoxy-benzoic acid


$C_9H_8O_5$
MW 196.16
mp >280^oC
White powder
Soluble in DMF



19-1014

**Carboxymethoxycarbonylmethoxy-acetic acid
carboxymethyl ester**


$C_8H_{10}O_9$
MW 250.16
mp 100-102^oC
White powder
Soluble in DMF



19-1331

{2-[4-(2-Carboxymethoxy-ethoxy)-phenoxy]-ethoxy}-acetic acid


$C_{14}H_{18}O_8$
MW 314.29
Structure confirmed by NMR



19-936

2-(6-Carboxymethoxy-naphthalen-2-yl)-propionic acid


$C_{15}H_{14}O_5$
MW 274.28
mp 185-188^oC
White powder
Soluble in chloroform



19-937

(4-Carboxymethoxy-phenoxy)-acetic acid

$C_{10}H_{10}O_6$
MW 226.19
mp 254-256.5^oC
White powder
Soluble in DMF
Structure confirmed by NMR






19-938

[3-(4-Carboxymethoxy-phenyl)-4-oxo-4H-chromen-7-yl]oxy]-acetic acid


$C_{19}H_{14}O_8$
MW 370.32
mp 270-272.2°C
White powder
Soluble in DMF



19-1298

Caprolactone diamine tetraglycolic acid


$C_{34}H_{44}N_2O_{14}$
MW 704.73
Structure confirmed by NMR



19-1299

Caprolactone functionalized diglycolic acid diacid


$C_{18}H_{30}O_9$
MW 390.43
Light yellow color
Structure confirmed by NMR



19-1048

Chloro acetic acid-2-(2-chloro acetoxy) ethyl ester


$C_6H_8Cl_2O_4$
MW 215.03
mp 42-43.5°C
White powder
Soluble in Chloroform
Structure confirmed by NMR



19-1291

Chloro acetic acid 2,2-bis (2-chloro-acetoxy methyl)-butyl ester

$C_{12}H_{17}O_6Cl_3$
MW 363.5
Light yellow syrup
Structure confirmed by NMR





19-1290

Chloro-acetic acid 3-(2-chloro-acetoxy)-2,2-bis (2-chloro-acetoxymethyl)-propyl ester


$C_{13}H_{16}Cl_4O_8$

MW 440

mp 94-96⁰C

White powder

Structure confirmed by NMR



19-1301


Chloro acetic acid-3-(2-Chloro-acetoxy)-propyl ester

$C_7H_{10}Cl_2O_4$

MW 229.06

Colorless liquid

Structure confirmed by NMR



19-1302


Chloroacetic acid 2,3 –bis-(2-chloro-acetoxy)-propyl ester

$C_9H_{11}Cl_3O_6$

MW 321.54

Colorless liquid

Structure confirmed by NMR



19-1303

Chloro acetic acid 4-(2-chloro-acetoxy)-butyl ester


$C_{10}H_{16}Cl_2O_4$

MW 271.14

mp 74-76.5⁰C

White fluffy powder

Structure confirmed by NMR



19-1304


Chloro acetic acid 2-[2-(2-chloro-acetoxy)-ethoxy]-ethyl ester

$C_8H_{12}Cl_2O_5$

MW 259.09

Light yellow syrup

Structure confirmed by NMR



19-1143


Chlorocarbonylmethoxy-acetyl chloride

$C_4H_4Cl_2O_3$

MW 170.98

bp 84-87⁰C

Light yellow liquid





19-1035


**Chlorocarbonylmethoxycarbonylmethoxy-acetic acid
chlorocarbonylmethyl ester**

$C_8H_8Cl_2O_7$

MW 287.05

Light yellow liquid

Soluble in chloroform




19-1332

**{2-[4-(2-chlorocarbonylmethoxy-ethoxy)-phenoxy]-ethoxy}-acetyl
chloride**

$C_{14}H_{16}Cl_2O_6$

MW 351.19



19-1333


(4-Chlorocarbonylmethoxy-phenoxy)-acetyl chloride

$C_{10}H_8Cl_2O_4$

MW 262

mp 83.5-85.5°C

Off white powder



19-854

**[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-acetic acid
methyl ester**

$C_{15}H_{11}Cl_3O_4$


MW 361.61

mp 51.8-52.8°C

White fluffy powder

Soluble in chloroform

Structure confirmed by NMR



19-859

**6-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-
hexanoic acid methyl ester, 99%**

$C_{19}H_{19}Cl_3O_4$


MW 417.72

mp High boiling syrup

Light yellow syrup

Soluble in chloroform


Structure confirmed by NMR






19-855 **2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]
propionic acid methyl ester**

$C_{16}H_{13}Cl_3O_4$
MW 375.64
bp High boiling syrup
Light yellow syrup
Soluble in chloroform




19-1064 **[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-acetic acid**

$C_{14}H_9Cl_3O_4$
MW 347.58
mp 127-129°C
White powder
Structure confirmed by NMR




19-1065 **[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-acetic acid
methoxy carbonyl methyl ester**

$C_{17}H_{13}Cl_3O_6$
MW 419.65
mp 70-72°C
Off-white powder
Structure confirmed by NMR




19-1066 **2-{2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-
acetoxy}-propionic acid methyl ester**

$C_{18}H_{15}Cl_3O_6$
MW 433.68
Light yellow syrup
Soluble in chloroform
Structure confirmed by NMR



19-1046 **{4-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]carbonylmethoxy}-phenoxy
- acetic acid 5-chloro-2-(2,4-dichloro-phenoxy)-phenyl ester**

$C_{34}H_{20}Cl_6O_8$
MW 769.25
mp 134-137°C
White powder
Soluble in chloroform
Structure confirmed by NMR





19-1047

[2-(4-{2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]carbonylmethoxy}ethoxy)-phenoxy)-ethoxy]-acetic acid 5-chloro-2-(2,4-dichloro-phenoxy)-phenyl ester


$C_{38}H_{28}Cl_6O_{10}$

MW 854

mp 132-135^oC

White powder

Structure confirmed by NMR



19-1030


6-(2-{-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]carbonylmethoxy}-acetoxy)-hexanoic acid-5-chloro-2-(2,4-dichloro-phenoxy)-phenyl ester

$C_{40}H_{36}Cl_6O_{11}$

MW 905.44

Light yellow syrup

Soluble in chloroform



19-1036


[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]carbonylmethoxy Carbonylmethoxy]-acetic acid 5-chloro-2-(2,4-dichloro-phenoxy)-Phenoxy]carbonylmethyl ester

$C_{32}H_{20}Cl_6O_{11}$

MW 793.23

Light yellow syrup

Soluble in chloroform



19-1067

2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy] propionic acid


$C_{15}H_{11}Cl_3O_4$

MW 361.61

mp 67-69^oC

White powder

Structure confirmed by NMR





19-1068 **2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-propionic acid 1-methoxycarbonyl-ethyl ester**


$C_{19}H_{17}Cl_3O_6$

MW 447.70

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-1069 **2-[5-Chloro-2-(2,4-dichloro-phenoxy)-phenoxy]-propionic acid methoxycarbonylmethyl ester**


$C_{18}H_{15}Cl_3O_6$

MW 433.68

Light yellow syrup

Soluble in chloroform


Structure confirmed by NMR



19-1334 **2-Chloro-2-oxoethyl stearate**

$C_{20}H_{37}ClO_3$

MW 360.97



19-939 **(4-Cyanato-phenoxy)acetic acid methoxycarbonyl methyl ester**


$C_{12}H_{11}NO_6$

MW 265.22

Liquid

Soluble in DMF

Structure confirmed by NMR



19-1050 **Diamino benzoate**

$C_{20}H_{20}N_2O_8$


MW 416

mp 183-185 °C

Off-White powder


Soluble in Chloroform

Structure confirmed by NMR







19-1354 **Dibromo Aspirin Dimer**
 $C_{37}H_{42}Br_2O_{16}$
MW 902.55
Light Yellow Syrup
Structure confirmed by NMR




19-1305 **Diglycolic acid diacid**
 $C_8H_{10}O_9$
MW 250.16
mp 56-58 °C
White powder
Structure confirmed by NMR




19-1335 **Diglycolic Acid Dicaproic acid**
 $C_{16}H_{26}O_9$
MW 362.38
mp 74-76°C



19-940 **4,9-Dihydroxy psoralen**
 $C_{11}H_6O_5$
MW 218.17
Green crystals




19-769 **3-[3,5-Dimethoxy-4-(1-methoxycarbonyl-ethoxy)phenyl]-acrylic acid methylester, 98%**
 $C_{16}H_{20}O_7$
MW 324.33
mp 111.5-113 °C
White powder
Soluble in chloroform






19-790 **3-[3,5-Dimethoxy-4-(2-methoxycarbonylmethoxy-ethoxy)phenyl]-acrylic acid methyl ester**

$C_{17}H_{22}O_8$
MW 354.36
mp 66-68 °C
White powder
Soluble in chloroform




19-770 **6-[2,6-Dimethoxy-4-(2-methoxycarbonyl-vinyl)phenoxy]-hexanoic acid methylester, 98%**

$C_{19}H_{26}O_7$
MW 366.41
mp 87-89 °C
White powder
Soluble in chloroform




19-1355 **Dinitro Aspirin Dimer**

$C_{36}H_{40}N_2O_{22}$
MW 852.72
Light yellow syrup
Structure confirmed by NMR



19-1306 **5,10-Dioxo-3,6,9,12-tetraoxatetradecane-1,14-diyl bis (4-aminobenzoate)**

$C_{24}H_{28}N_2O_{10}$
MW 504.50
Light yellow syrup
Structure confirmed by NMR





19-1307 **5,10 Dioxo-3,6,9,12-tetraoxatetradecane-1,14-diyl bis (4- nitrobenzoate)**


$C_{24}H_{24}N_2O_{14}$

MW 564.46

mp 75.5-78°C

Off-white powder

Structure confirmed by NMR



19-1308 **6,6'-(Ethane-1,2-diylbis (oxy) bis (6-oxohexane-6,1-diyl) bis (4-aminobenzoate)**


$C_{28}H_{36}N_2O_8$

MW 528

mp 70-73°C

Light brown powder

Structure confirmed by NMR



19-1309 **6,6'-(Ethane-1,2-diylbis(oxy)bis(6-oxohexane-6,1-diyl) bis (4-nitrobenzoate)**


$C_{28}H_{32}N_2O_{12}$

MW 588

mp 71-73°C

Light cream powder

Structure confirmed by NMR



19-1310 **2,2'-(Ethane-1,2-diylbis(oxy)bis (2-oxoethane-2,1-diyl)bis (4-nitrobenzoate)**


$C_{20}H_{16}N_2O_{10}$

MW 324

mp 116.5-118 °C

Off-White Powder


Structure confirmed by NMR






19-545 4-Ethoxycarbonylmethoxy-3,5-dimethoxy benzoic acid methyl ester, 98%

C₁₄H₁₈O₇
MW 298.30
mp 90.5-92.5 °C
White powder
Soluble in Chloroform




19-942 (4-Formyl-2-methoxy-phenoxy) acetic acid methyl ester

C₁₁H₁₂O₅
MW 224.22
mp 93.5-95.5 °C
White powder




19-941 (4-Formylphenoxy)acetic acid methyl ester

C₁₀H₁₀O₄
MW 194.19
White powder




19-1311 Glycolate diamide diol

C₂₂H₂₄N₂O₁₀
MW 476.44
mp 180-183 °C
White powder
Structure confirmed by NMR




19-1312 Glycolate diamide

C₃₆H₃₆N₂O₁₀
MW 656
mp 111-112 °C
White powder
Structure confirmed by NMR



19-1342 Glycolic acid functionalized adipic acid

C₁₀H₁₄O₈
MW 262.22
mp 108-110 °C
White powder





19-1343 Glycolic acid functionalized heamethylene Diamine


$C_{10}H_{18}Cl_2N_2O_2$

MW 269.17

mp 130.7-132.4°C

White powder


Structure confirmed by NMR



19-1344 2,2'-(Hexane-1,6-diylbis(azanediy)) bis (2-oxoethane-2,1-diyl) bis (2-hydroxyacetate)

$C_{14}H_{24}N_2O_8$

MW 348.36



10-1088 Hexanedioic acid bis-(5-benzoyloxycarbonylpentylloxycarbonyl methyl) ester (benzyl adipic diglycolate dicaproate)


$C_{36}H_{46}O_{12}$

MW 670.76

Light yellow syrup

Soluble in Chloroform

Structure confirmed by NMR



19-1089 Hexanedioic acid bis-(5-carboxy-pentylloxycarbonyl) methyl ester (adipic acid diglycolatedicaproic acid)

$C_{22}H_{34}O_{12}$


MW 490.51

mp 96-99 °C

White powder

Soluble in DMF

Structure confirmed by NMR



19-1020 Hexanedioic acid dibenzoyloxycarbonylmethyl ester (adipic acid with benzyl chloro acetate)

$C_{24}H_{26}O_8$


MW 442.47

mp 73-75 °C

White powder

Soluble in Chloroform

Structure confirmed by NMR





19-1090

Hexanedioic acid dibenzoyloxycarbonyl methoxy carbonyl methyl ester


$C_{28}H_{30}O_{12}$

MW 558.54

Light yellow syrup

Soluble in Chloroform

Structure confirmed with NMR



19-1091

Hexanedioic acid dicarbonylmethoxy carbonyl methyl ester

$C_{14}H_{18}O_{12}$


MW 378.29

mp 111-115 °C

White powder

Soluble in DMF

Structure confirmed with NMR



19-1021

Hexanedioic acid dicarboxy methyl ester

$C_{10}H_{14}O_8$


MW 262.22

mp 108-110°C

White powder

Soluble in DMF

Structure confirmed by NMR




19-1324

2-(2-Hydroxy-acetamido)-3-(4-hydroxyphenyl) propanoic acid

$C_{11}H_{13}NO_5$

MW 239.23



19-943

Hydroxy-acetic acid 4-acetylamino-phenyl ester

$C_{10}H_{11}NO_4$


MW 209.20

mp 144-146°C

White powder

Soluble in DMF

Structure confirmed by NMR




19-1336

Hydroxy acetic acid-5-chloro-2-(2,4-dichloro-phenoxy)-phenyl ester

$C_{14}H_9Cl_3O_4$

MW 347.58





19-946

Hydroxy-acetic acid 4-[7-(2-hydroxy-acetoxy)-4-oxo-4H-chromen-3-yl]-phenyl ester


$C_{19}H_{14}O_8$

MW 370.32

mp 140-143°C

White color powder

Soluble in chloroform




19-947

Hydroxy-acetic acid 4-(2-hydroxy-acetyl-amino) phenyl ester

$C_{10}H_{11}NO_5$

MW 225.20



19-945

Hydroxy-acetic acid 4-(2-hydroxy-acetoxy)-phenyl ester

$C_{10}H_{10}O_6$


MW 226.19

mp 168.5-170°C

Pale brown powder

Soluble in chloroform

Structure confirmed by NMR



19-948


4-(2-Hydroxy-acetoxy)-benzoic acid methyl ester

$C_{10}H_{10}O_5$

MW 210.19

Off white powder

Soluble in Chloroform



19-949

2-[6-(2-Hydroxy-acetoxy)-naphthalen-2-yl]-propionic acid methyl ester

$C_{16}H_{16}O_5$


MW 288.30

mp 49.5-52°C

Off white powder

Soluble in chloroform

Structure confirmed by NMR





19-950

[4-(2-Hydroxy-acetoxy)-phenoxy]-acetic acid methyl ester

$C_{11}H_{12}O_6$


MW 240.21

mp 92-94.5⁰C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-951

6-[4-(2-Hydroxy-acetoxy)-phenoxy]-hexanoic acid methyl ester

$C_{15}H_{20}O_6$

MW 296.32




19-952

2-[4-(2-Hydroxy-acetoxy)-phenoxy]-propionic acid methyl ester

$C_{12}H_{14}O_6$

MW 254.24



19-953


3-[4-(2-Hydroxy-acetoxy)-phenyl]-2-(2-hydroxy-acetylamino)-propionic acid methyl ester

$C_{14}H_{17}NO_7$

MW 311.29

Light yellow color syrup

Soluble in chloroform




19-1263

4-(2-Hydroxy-acetylamino)-benzoic acid methoxycarbonylmethyl ester

$C_{13}H_{15}NO_7$

MW 297.27



19-1071

4-(2-Hydroxy-acetylamino)-benzoic acid methyl ester


$C_{10}H_{11}NO_4$

MW 209.20

mp 131-134

White powder


Soluble in DMF






19-954 **2-(2-Hydroxy-acetylamino)-3-(4-hydroxy-phenyl)-propionic acid methyl ester**

$C_{12}H_{15}NO_5$
MW 253.26
mp 57-58 °C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-955 **2-(2-Hydroxy-acetylamino)-3-(4-hydroxy-phenyl)propionic acid methoxy carbonyl methyl ester**

$C_{14}H_{17}NO_7$
MW 311.29
Light yellow color syrup
Soluble in DMF




19-956 **2-(2-Hydroxy-acetylamino)-3-(4-methoxycarbonylmethoxy-phenyl)-propionic acid methyl ester**

$C_{15}H_{19}NO_7$
MW 325.32
Light yellow syrup
Soluble in Chloroform
Structure confirmed by NMR




19-957 **2-(2-Hydroxy-acetylamino)-3-(4-methoxycarbonylmethoxy-phenyl)-propionic acid methoxycarbonylmethyl ester**

$C_{17}H_{21}NO_9$
MW 383.36
Yellow syrup
Soluble in chloroform
Structure confirmed by NMR



19-959 **[4-(2-Hydroxy-acetylamino)-phenoxy]-acetic acid methyl ester**


$C_{11}H_{13}NO_5$
MW 239.23
mp 147.5-150 °C
White powder
Soluble in chloroform
Structure confirmed by NMR






19-960 **6-[4-(2-Hydroxy-acetylamino)-phenoxy]-hexanoic acid methyl ester**

$C_{15}H_{21}NO_5$
MW 295.34
mp 91.5-94^oC
White powder
Soluble in chloroform




19-961 **2-[4-(2-Hydroxy-acetylamino)-phenoxy]-propionic acid methyl ester**

$C_{12}H_{15}NO_5$
MW 253.26
mp 111-112.6^oC
White powder
Soluble in chloroform




19-1151 **2-Hydroxy-benzoic acid benzyloxy carbonyl methyl ester**

$C_{16}H_{14}O_5$
MW 286.29
mp 75.5-77^oC
White powder
Soluble in chloroform




19-1152 **2-Hydroxy-benzoic acid 4-bromo butoxy carbonyl methyl ester**

$C_{13}H_{15}BrO_5$
MW 331.17
Light yellow liquid
Soluble in chloroform
Structure confirmed by NMR



19-1153 **2-Hydroxy-benzoic acid carboxymethyl ester**

$C_9H_8O_5$
MW 196.16
mp 131-132.5^oC
White powder
Soluble in chloroform
Structure confirmed by NMR





19-1270

4-Hydroxy-benzoic acid carboxymethyl ester


$C_9H_8O_5$

MW 196.16

mp 131-132 °C

White powder

Soluble in chloroform




19-1271

4-Hydroxy-benzoic acid [2-(4-hydroxy-phenyl)-1-methoxycarbonyl-ethyl carbamoyl]-methoxy carbonyl methyl ester

$C_{21}H_{21}NO_9$

MW 431.40



19-1154

2-Hydroxy-benzoic acid 4-nitrooxy-butoxy carbonyl methyl ester

$C_{13}H_{15}NO_8$


MW 266.30

mp 84-86.5 °C

Off-white powder

Soluble in chloroform

Structure confirmed by NMR




19-1272

4-Hydroxy-benzoic acid tert-butoxycarbonylmethyl ester

$C_{13}H_{16}O_5$

MW 252.27




19-962

3-(4-Hydroxy-benzyl)-morpholine-2,5-dione

$C_{11}H_{11}NO_4$

MW 221.21




19-1264

4-(2-Hydroxy-ethoxycarbonylamino)-benzoic acid methoxy carbonyl methyl ester

$C_{14}H_{17}NO_6$

MW 295.29





19-964

[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]-acetic acid 2-{2-[4-(2-hydroxy-ethoxy carbonyl amino)-phenoxy]-acetoxy}-ethyl ester


$C_{24}H_{28}N_2O_{12}$

MW 536.50

mp 158-161°C

White powder

Soluble in chloroform



19-963

[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]-acetic acid methoxycarbonyl methyl ester

$C_{14}H_{17}NO_8$


MW 327.29

mp 79-82°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-791

[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]-acetic acid methyl ester


$C_{12}H_{15}NO_6$

MW 269.26

mp 85.5-87.5°C

Off-white powder

Soluble in chloroform



19-792

6-[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]-hexanoic acid methyl ester


$C_{16}H_{23}NO_6$

MW 325.36

mp 70-71.8°C

White powder

Soluble in chloroform




19-965

2-[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]propionic acid 2-{2-[4-(2-hydroxy-ethoxycarbonyl amino)-phenoxy]-propionyloxy}-ethyl ester

$C_{26}H_{32}N_2O_{12}$

MW 564.55

Soluble in chloroform





19-966


**2-[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]
propionic acid 2-{2-[4-(2-hydroxy-ethoxy carbonyl
amino)-phenoxy]-acetoxy}-ethyl ester**

$C_{25}H_{30}N_2O_{12}$

MW 550.52

Pale yellow syrup

Soluble in chloroform



19-793

2-[4-(2-Hydroxy-ethoxycarbonylamino)-phenoxy]-propionic acid methyl ester


$C_{13}H_{17}NO_6$

MW 283.28

mp 90.5-92.8°C

White powder

Soluble in Chloroform




19-1265

**2-Hydroxy-N-[4-(2-hydroxy-acetylamino)-phenyl]-
acetamide**

$C_{10}H_{12}N_2O_4$

MW 224.22



19-969

**[4-(6-Hydroxy-hexanoylamino)-phenoxy]-acetic
acid methoxycarbonylmethyl ester**

$C_{17}H_{23}NO_7$


MW 353.38

mp 68-70.5°C

Pale pink powder

Soluble in chloroform

Structure confirmed by NMR



19-970

**[4-(6-Hydroxy-hexanoylamino)-phenoxy]
acetic acid methyl ester**

$C_{15}H_{21}NO_5$


MW 295.34

mp 87.5-90.4°C

White powder

Soluble in chloroform


Structure confirmed by NMR






19-971 **6-[4-(6-Hydroxy-hexanoylamino)-phenoxy]
hexanoic acid methyl ester**

$C_{19}H_{29}NO_5$
MW 351.45
mp 73-75.5⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-972 **2-[4-(6-Hydroxy-hexanoylamino)-phenoxy]-propionic
acid methyl ester**

$C_{16}H_{23}NO_5$
MW 309.37
mp 62-64.5⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-973 **2-Hydroxy-N-(4-hydroxy-phenyl)-acetamide**

$C_8H_9NO_3$
MW 167.17
mp 141-142.6⁰C
White shining powder
Soluble in chloroform
Structure confirmed by NMR




19-978 **(4-Hydroxymethyl-2-methoxy-phenoxy)-acetic
acid methyl ester**

$C_{11}H_{14}O_5$
MW 226.23
Yellow syrup



19-979 **2-(6-Hydroxy-naphthalen-2-yl)-propionic acid**

$C_{13}H_{12}O_3$
MW 216.24
mp 186-188⁰C
White color powder
Soluble in chloroform
Structure confirmed by NMR





19-748 2-(6-Hydroxy-naphthalen-2-yl)-propionic acid methyl ester

$C_{14}H_{14}O_3$


MW 230.27

mp 89.5-92°C

White fluffy powder.

Soluble in Chloroform

Structure confirmed by NMR



19-1158 2-(6-Hydroxy-naphthalen-2-yl)-propionic acid benzyloxy carbonyl methyl ester

$C_{22}H_{20}O_5$


MW 364.40

mp 104-106.5°C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-1159 2-(6-Hydroxy-naphthalen-2-yl)-propionic acid 4-bromo-butoxy carbonyl Methyl ester

$C_{19}H_{21}BrO_5$

MW 409.28

Light brown syrup

Structure confirmed by NMR



19-1160 2-(6-Hydroxy-naphthalen-2-yl)-propionic acid carboxy methyl ester

$C_{15}H_{14}O_5$


MW 274.28

mp 186-188.5

Off-white Powder

Soluble in chloroform

Structure confirmed by NMR



19-1161 2-(6-Hydroxy-naphthalen-2-yl)-propionic acid 2-(2-{2-[2-(6-hydroxy-naphthalen-2-yl)-propionyloxy]-acetoxy}-ethoxy carbonyl methoxy carbonyl methyl ester

$C_{36}H_{34}O_{14}$


MW 690.66

mp 85-88°C







White powder

Soluble in chloroform

Structure confirmed by NMR





19-1345	(2,6-Hydroxynaphthalen-2-yl) propionic acid methoxy carbonyl methyl ester C ₁₆ H ₁₆ O ₅ MW 288.30 mp 84.5-87°C White powder Structure confirmed by NMR	
19-1162	2-(6-Hydroxy-naphthalen-2-yl)-propionic acid 4 nitroxy-butoxy carbonyl methyl ester C ₁₉ H ₂₁ NO ₈ MW 391.38 White powder Soluble in chloroform	
19-1273	(4-Hydroxy-phenoxy)-acetic acid C ₈ H ₈ O ₄ MW 168.15	
19-977	(4-Hydroxymethyl-phenoxy)-acetic acid methyl ester C ₁₀ H ₁₂ O ₄ MW 196.20 White powder	
19-974	(4-Hydroxy-phenoxy)-acetic acid methyl ester C ₉ H ₁₀ O ₄ MW 182.18 mp 115-117°C White powder Soluble in chloroform	
19-1274	2-{2-[2-(4-Hydroxy-phenoxy)-acetoxy]-acetyl-amino}-3-(4-hydroxy-phenyl)-propionic acid methyl ester C ₂₁ H ₂₃ NO ₇ MW 401.42	



19-975

6-(4-Hydroxy-phenoxy)-hexanoic acid methyl ester

$C_{13}H_{18}O_4$


MW 238.29

mp 56-58.5°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-976

2-(4-Hydroxy-phenoxy)-propionic acid methyl ester


$C_{10}H_{12}O_4$

MW 196.20

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR




19-1275

3-(4-Hydroxy-phenyl)-2-{2-[3-(4-hydroxy-phenyl)-propionyloxy]-acetylamino} propionic acid methyl ester

$C_{21}H_{23}NO_7$

MW 401.42




19-1276

3-(4-Hydroxy-phenyl)-2-(2-{2-[3-(4-hydroxy-phenyl)-propionyloxy]-acetoxy}acetylamino) propionic acid methyl ester

$C_{23}H_{25}NO_9$

MW 459.46




19-1277

3-(4-Hydroxy-phenyl)-2-[3-(4-Hydroxy-phenyl)-propionylamino]-propionic acid methyl ester

$C_{19}H_{21}NO_5$

MW 343.38





19-1170

3-(4-Hydroxy-phenyl)-propionic acid carboxymethyl ester


$C_{11}H_{12}O_5$

MW 224.22

mp 122-125 °C

White powder

Soluble in chloroform




19-1278

3-(4-Hydroxy-phenyl)-propionic acid tert-butoxycarbonyl methyl ester

$C_{15}H_{20}O_5$

MW 280.32



19-980

3-(4-Hydroxy-phenyl)-2-phenethyloxycarbonylamino-propionic acid methyl ester

$C_{19}H_{21}NO_5$


MW 343.38

mp 68-70 °C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-1266

4-Isocyanato-benzoic acid methoxycarbonyl methyl ester

$C_{11}H_9NO_5$

MW 235.20



19-794

(4-Isocyanato-phenoxy)-acetic acid methyl ester


$C_{10}H_9NO_4$

MW 207.19

White powder

mp 50-53 °C

Soluble in chloroform



19-795

6-(4-Isocyanato-phenoxy)-hexanoic acid methyl ester


$C_{14}H_{17}NO_4$

MW 263.30

mp 47-50 °C

Yellow powder


Soluble in chloroform






19-796 **2-4-(Isocyanato-phenoxy)-propionic acid methyl ester**

$C_{11}H_{11}NO_4$
MW 221.21
bp 145°C
Light yellow syrup
Soluble in chloroform




19-1285 **L-Lysinemethyl ester dihydrochloride**

$C_7H_{16}N_2O_2 \cdot 2HCl$
MW 233.14
mp 204.5-206°C
White powder
Structure confirmed by NMR




19-797 **2-(1-Methoxycarbonylethoxy) benzoic acid methyl ester**

$C_{12}H_{14}O_5$
MW 238.24
bp High boiling point syrup
Soluble in chloroform
Structure confirmed by NMR




19-985 **2-{2-[4-(1-Methoxycarbonyl-ethoxycarbonylmethoxy) phenoxy]-acetoxy}-propionic acid methyl ester**

$C_{18}H_{22}O_{10}$
MW 398.37
Light yellow syrup
Soluble in chloroform



19-749 **2-(6-(1-Methoxycarbonyl-ethoxy)-naphthalen-2-yl)-propionic acid methyl ester**


$C_{18}H_{20}O_5$
MW 316.36
bp High boiling syrup
Light yellow syrup
Soluble in chloroform
Structure confirmed by NMR






19-986 **6-[4-(1-Methoxycarbonyl-ethoxy)-phenoxy]
hexanoic acid methyl ester**

$C_{17}H_{24}O_6$
MW 324.38
Pale yellow liquid
Structure confirmed by NMR




19-987 **2-[4-(1-Methoxycarbonyl-ethoxy)-phenoxy]-
propionic acid methyl ester**

$C_{14}H_{18}O_6$
MW 282.30
Low melting white solid
Soluble in chloroform




19-798 **2-(4-{2-[4-(1-Methoxycarbonyl-ethoxy)-phenyl carbamoyloxy] -
ethoxycarbonylamino}-phenoxy)-propionic acid methyl ester**

$C_{24}H_{28}N_2O_{10}$
MW 504.50
mp 98-100°C
White powder
Soluble in chloroform




19-750 **6-(6-(1-Methoxycarbonyl-ethyl)-naphthalen-2-yloxy)
hexanoic acid methyl ester**

$C_{21}H_{26}O_5$
MW 358.44
bp High boiling syrup
Light Yellow syrup
Soluble in chloroform
Structure confirmed by NMR



19-799 **2-Methoxycarbonylmethoxy-benzoic acid methyl ester**


$C_{11}H_{12}O_5$
MW 224.22
High bp Syrup
Light yellow syrup
Soluble in chloroform
Structure confirmed by NMR






19-996 **4-Methoxycarbonylmethoxy-benzoic acid methoxycarbonylmethyl ester**

$C_{13}H_{14}O_7$
MW 282.25
mp 53-57⁰C
White powder
Soluble in chloroform




19-1279 **4-Methoxycarbonylmethoxy-benzoic acid [1-methoxycarbonyl-2-(4-methoxy carbonyl methoxy-phenyl)-ethylcarbamoyl]-methoxycarbonylmethyl ester**

$C_{27}H_{29}NO_{13}$
MW 575.53




19-989 **2-[4-(1-Methoxycarbonylmethoxycarbonyl-ethoxy)-phenoxy] propionic acid methoxycarbonylmethyl ester**

$C_{18}H_{22}O_{10}$
MW 398.37
mp 90.5-92.5⁰C
Soluble in chloroform




19-993 **2-Methoxycarbonylmethoxycarbonylmethoxy-benzoic acid methoxy carbonyl methyl ester**

$C_{15}H_{16}O_9$
MW 340.29
Light yellow syrup
Soluble in Chloroform



19-999 **2-(6-Methoxycarbonylmethoxycarbonylmethoxy-naphthalen-2-yl)-propionic acid methoxy carbonylmethyl ester**

$C_{21}H_{22}O_9$
MW 418.40
Light yellow syrup
Soluble in Chloroform
Structure confirmed by NMR





19-1000

**2-(6-Methoxycarbonylmethoxy-naphthalen-2-yl)
propionic acid methoxycarbonylmethyl ester**


$C_{19}H_{20}O_7$

MW 360.37

Pale yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-751

**2-(6-Methoxycarbonylmethoxy-naphthalen-2-yl)-propionic acid
methyl ester**


$C_{17}H_{18}O_5$

MW 302.33

bp High boiling point

Pale yellow syrup

Soluble in Chloroform



19-997

**(4-Methoxycarbonylmethoxy-phenoxy)-
acetic acid methyl ester**

$C_{12}H_{14}O_6$


MW 254.24

mp 96-98⁰C

White powder

Soluble in chloroform

Structure confirmed by NMR




19-1280

**2-{2-[2-(4-Methoxycarbonylmethoxy-phenoxy)-acetoxyl]-acetyl-amino}-
3-(4-methoxycarbonyl-methoxy-phenyl)-propionic acid methyl ester**

$C_{27}H_{31}NO_{11}$

MW 545.55



19-988

**6-(4-Methoxycarbonylmethoxy-phenoxy)
-hexanoic acid methyl ester**


$C_{16}H_{22}O_6$

MW 310.35

mp 61.5-63.5⁰C

White powder

Structure confirmed by NMR





19-990 **2-(4-Methoxycarbonylmethoxy-phenoxy)-propionic acid methyl ester**


$C_{13}H_{16}O_6$

MW 268.27

Syrup

Soluble in chloroform

Structure confirmed by NMR



19-620 **3-(4-Methoxycarbonylmethoxy-phenyl) acrylic acid methyl ester, 99%**


$C_{13}H_{14}O_5$

MW 250.25

mp 107-108.8 °C

White shining powder

Soluble in chloroform



19-800 **{4-[2-(4-Methoxycarbonylmethoxy-phenylcarbamoyloxy)-ethoxy carbonylamino]-phenoxy}-acetic acid methyl ester**


$C_{22}H_{24}N_2O_{10}$

MW 476.44

mp 147.6-150°C

White fluffy powder


Soluble in chloroform



19-1281 **3-(4-Methoxycarbonylmethoxy-phenyl)-2-(2-{2-[3-(4-methoxycarbonylmethoxy-phenyl)-propionyloxy]-acetylamino}-propionic acid methyl ester**

$C_{29}H_{33}NO_{13}$


MW 603.59



19-1282 **3-(4-Methoxycarbonylmethoxy-phenyl)-2-(2-[3-(4-methoxy carbonylmethoxy-phenyl)-propionyloxy]-acetylamino)-propionic acid methyl ester**

$C_{27}H_{31}NO_{11}$

MW 545.55






19-1284

3-(4-Methoxycarbonylmethoxy-phenyl)-2-[3-(4-methoxycarbonylmethoxy-phenyl)-Propionylamino]-propionic acid methyl ester

C₂₅H₂₉NO₉
MW 487.51




19-644

3-(4-Methoxycarbonylmethoxy-phenyl)propionic acid methyl ester

C₁₃H₁₆O₅
MW 252.27


White color low melting solid
Soluble in chloroform



19-595

4-[(5-Methoxycarbonyl)-pentyloxy]-benzoic acid methylester, 98%


C₁₅H₂₀O₅
MW 280.32
mp 42.5-44.5 °C
White powder
Soluble in chloroform



19-645

6-[4-(5-Methoxycarbonyl-pentyloxy)-phenoxy]hexanoic acid methyl ester


C₂₀H₃₀O₆
MW 366.46
mp 77.2-78.9 °C
White powder
Soluble in chloroform



19-697

(4-Methoxycarbonylmethoxy-7-oxo-7H-furo[3,2-g]chromen-9-yloxy)-acetic acid methyl ester, 99%


C₁₇H₁₄O₉
MW 362.30
mp 165.5-169 °C
Off-white powder
Soluble in chloroform






19-717 (6-Methoxycarbonylmethoxy-4-methyl-2-oxo-2H-chromen-7-yloxy)acetic acid methyl ester, 99%

$C_{16}H_{16}O_8$
MW 336.30
mp 170-171.8 °C
White fluffy powder
Soluble in chloroform




19-698 6-[4-(5-Methoxycarbonyl-pentyloxy)-7H-furo[3,2-g]chromen-9-yloxy]-hexanoic acid methyl ester, 99%

$C_{25}H_{30}O_9$
MW 474.51
mp 75-78 °C
Off white fluffy powder
Soluble in chloroform




19-718 6-[2-(5-methoxycarbonyl-pentyloxy)-5-(2-methoxy carbonyl-vinyl)-phenoxy]-hexanoic acid methyl ester, 99%

$C_{24}H_{34}O_8$
MW 450.53
mp 58.2-61.4 °C
White powder
Soluble in chloroform




19-719 3-[3-Methoxy-4-(1-methoxycarbonyl-ethoxy)phenyl]acrylic acid methyl ester, 99%

$C_{15}H_{18}O_6$
MW 294.31
mp 69.8-71 °C
White powder
Soluble in chloroform



19-721 6-[2-Methoxy-4-(2-methoxycarbonyl-vinyl)-phenoxy]hexanoic acid methyl ester, 99%

$C_{18}H_{24}O_6$
MW 336.39
mp 90-91.8 °C
White fluffy powder
Soluble in chloroform





19-724

6-[4-[6-Methoxy-7-(5-methoxycarbonyl-pentyloxy)-4-oxo-4H-chromen-3-yl]-phenoxy}-hexanoic acid methyl ester, 99%


$C_{30}H_{36}O_9$

MW 540.62

mp 100-105 °C (dec)

Pale rose powder

Soluble in chloroform



19-772

(4-Methoxycarbonylmethoxy-phenyl)-acetic acid methylester, 98%


$C_{12}H_{14}O_5$

MW 238.24

mp 52.5-55.4°C

White powder

Soluble in chloroform



19-773

2-(4-Methoxycarbonylmethyl-phenoxy)-propionic acid methylester, 98%


$C_{13}H_{16}O_5$

MW 252.27

mp Low melting solid

Off white low melting solid

Soluble in chloroform



19-801

6-(4-Methoxycarbonylmethyl-phenoxy)-hexanoic acid methyl ester


$C_{16}H_{22}O_5$

MW 294.35

bp high boiling syrup

Light yellow syrup

Soluble in chloroform



19-803

2-(5-Methoxycarbonyl-pentyloxy)-benzoic acid methyl ester


$C_{15}H_{20}O_5$

MW 280.32

bp High boiling syrup

Light yellow syrup


Soluble in chloroform






19-991 **2-Methoxycarbonylmethoxy-benzoic acid methoxycarbonylmethyl ester**

$C_{13}H_{14}O_7$
MW 282.25
Syrup
Soluble in chloroform




19-984 **4-Methoxycarbonylmethoxy-benzoic acid methyl ester**

$C_{11}H_{12}O_5$
MW 224.22
mp 92.2-93.8°C
White shining powder
Structure confirmed by NMR




19-996 **4-Methoxycarbonylmethoxy-benzoic acid methoxycarbonylmethyl ester**

$C_{13}H_{14}O_7$
MW 282.25
mp 53-57°C
White powder
Soluble in chloroform




19-992 **4-(2-Methoxycarbonylmethoxy-ethoxy) benzoic acid methyl ester**

$C_{13}H_{16}O_6$
MW 268.27
mp 66-62.5C
White powder



19-993 **2-Methoxycarbonylmethoxycarbonylmethoxy benzoic acid methoxycarbonylmethyl ester**

$C_{15}H_{16}O_9$
MW 340.29
Pale yellow syrup
Soluble in chloroform





19-994

**4-Methoxycarbonylmethoxycarbonylmethoxy
benzoic acid methoxycarbonylmethyl ester**


$C_{15}H_{16}O_9$

MW 340.29

mp 61-64°C

White powder

Soluble in chloroform



19-995

**(4-Methoxycarbonylmethoxycarbonylmethoxy-phenoxy)
acetic acid methoxycarbonylmethyl ester**


$C_{16}H_{18}O_{10}$

MW 370.32

mp 124-126°C

White powder

Soluble in chloroform



19-999


**2-(6-Methoxycarbonylmethoxycarbonylmethoxy
naphthalen-2-yl)-propionic acid methoxy
carbonyl methyl ester**

$C_{21}H_{22}O_9$

MW 418.40

Pale yellow syrup

Soluble in chloroform



19-1001

**[4-(7-Methoxycarbonylmethoxycarbonylmethoxy
-4-oxo-4H-chromen-3-yl)-phenoxy]-acetic acid
methoxycarbonylmethyl ester**


$C_{25}H_{22}O_{12}$

MW 514.45

mp 111-114°C

White powder

Soluble in chloroform



19-1000


**2-(6-Methoxycarbonylmethoxy-naphthalen-2-yl)
propionic acid methoxycarbonylmethyl ester**

$C_{19}H_{20}O_7$

MW 360.37

Pale yellow syrup


Soluble in chloroform






19-997 (4-Methoxycarbonylmethoxy-phenoxy)-acetic acid methyl ester

$C_{12}H_{14}O_6$
MW 254.24
mp 96-98⁰C
White powder
Soluble in chloroform




19-998 [3-(4-Methoxycarbonylmethoxy-phenyl)-4-oxo-4H-chromen-7-yloxy]-acetic acid methyl ester

$C_{21}H_{18}O_8$
MW 398.37
mp 163-165.7⁰C
white powder
Soluble in DMF




19-803 2-(5-Methoxycarbonylpentyl-oxy) benzoic acid methyl ester

$C_{15}H_{20}O_5$
MW 280.32
bp High boiling point syrup
Light yellow syrup
Soluble in chloroform
Structure confirmed by NMR




19-804 6-[4-{2[4-(5-Methoxycarbonyl-pentyl-oxy)-phenylcarbomoyloxy]-ethoxycarbonylamino}-phenoxy]-hexanoic acid methyl ester

$C_{30}H_{40}N_2O_{10}$
MW 588.66
mp 118-120.5⁰C
White powder
Soluble in Chloroform



19-1004 3-(3-Methoxy-4-methoxycarbonylmethoxy-phenyl)-acrylic acid methyl ester


$C_{14}H_{16}O_6$
MW 280.28
mp 105-106.8⁰C
White powder






19-1002 **3-Methoxy-4-methoxycarbonylmethoxy-benzoic acid ethyl ester**

C₁₃H₁₆O₆
MW 268.27
mp 72.7-74.3oC
White powder




19-646 **[6-Methoxy-3-(4-methoxycarbonylmethoxy-phenyl) 4-oxo-4H-chromen-7-yloxy]-acetic acid methyl ester**

C₂₂H₂₀O₉
MW 428.40
mp 151-153.5°C
White powder
Soluble in chloroform




19-622 **3-Methoxy-4-(5-methoxy carbonyl-pentyl)oxy benzoic acid ethyl ester, 99%**

C₁₇H₂₄O₆
MW 324.38
mp 42.5-43.5 °C
White powder
Soluble in chloroform




19-639 **[6-Methoxy-3-(4-methoxy phenyl)-4-oxo-4H-chromen-7-yloxy]-acetic acid methyl ester**

C₂₀H₁₈O₇
MW 370.36
mp 179-180.5 °C
White fluffy powder
Soluble in chloroform



19-623 **{2-Methoxy-4-[(8-methyl-non-6-enoylamino)-methyl]-phenoxy}-acetic acid methyl ester**

C₂₁H₃₁NO₅
MW 377.48
mp 99.5-103.5°C
White powder
Soluble in Chloroform





19-1005

6-{2-Methoxy-4-[(8-methyl-non-6-enoylamino)-methyl]-phenoxy}-hexanoic acid methyl ester


$C_{25}H_{39}NO_5$

MW 433.59

mp 69.2-70.8°C

White powder

Soluble in chloroform



19-820

2-{2-Methoxy-4-[(8-methyl-non-6-enoylamino)-methyl]-phenoxy}-propionic acid methyl ester


$C_{22}H_{33}NO_5$

MW 391.51

mp 62.3-64°C

White powder

Soluble in chloroform



19-1175

2-(6-Methoxy-naphthalen-2-yl)-propionic acid benzyloxy Carbonyl methyl ester

$C_{23}H_{23}O_5$


MW 379.44

mp 95.3-97.3°C

White Powder

Soluble in Chloroform

Structure confirmed by NMR



19-1176

2-(6-Methoxy-naphthalen-2-yl)-propionic acid 4-bromobutoxy carbonyl methyl ester


$C_{20}H_{23}BrO_5$

MW 423.31

Light brown syrup

Soluble in Chloroform

Structure confirmed by NMR



19-1177

2-(6-Methoxy-naphthalen-2-yl)-propionic acid carboxymethyl ester

$C_{16}H_{16}O_5$


MW 288.30

mp 131-132.5°C

White powder

Soluble in DMF

Structure confirmed by NMR





19-1179

2-(6-Methoxy-naphthalen-2-yl)-propionic acid 3-nitrooxy-propoxy carbonyl methyl ester


$C_{20}H_{23}NO_8$

MW 406.42

Light yellow syrup

Soluble in Chloroform

Structure confirmed by NMR



19-1008

Methyl (4-nitro phenoxy) acetate


$C_9H_9NO_5$

MW 211.18

mp 97-98.4°C

White fluffy powder

Soluble in chloroform



19-699

(4-Methyl-2-oxo-2H-chromen-6-yloxy)-acetic acid methyl ester, 99%


$C_{13}H_{12}O_5$

MW 248.24

mp 153.6-155.2 °C

White fluffy powder

Soluble in chloroform



19-1319

2-Methoxy-2-oxoethyl (4-Nitrobenzoate)


$C_{40}H_{36}N_4O_{24}$

MW 956

mp 117-121°C

Off-White powder

Structure confirmed by NMR



19-546

[3-(4-Methoxyphenyl)-4-methyl-2-oxo-2H-chromen-6-yloxy]- acetic acid methyl ester, 98%


$C_{20}H_{18}O_6$

MW 354.36

mp 120.8-122.3°C

Cream shining powder

Soluble in Chloroform





19-664

6-[3-(4-Methoxyphenyl)-4-oxo-4H-chromen-7-yloxy]-hexanoic acid methyl ester, 98%


$C_{23}H_{24}O_6$

MW 396.43

mp 130-133 °C

White powder

Soluble in chloroform



19-1186

Naproxen Dimer

$C_{34}H_{34}O_{10}$


MW 602.64

mp 69-71 °C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1188


Naproxen Trimer

$C_{54}H_{56}O_{15}$

MW 945.04

Light green thick syrup

Structure confirmed by NMR



19-1189

Naproxen Tetramer

$C_{69}H_{68}O_{20}$


MW 1217.30

mp 128-130 °C

White powder

Soluble in DMF

Structure confirmed by NMR



19-1192

Nitroxy-acetic acid 2-formyl-phenyl ester


$C_9H_7NO_6$

MW 225

mp 48-51 °C

White powder


Structure confirmed by NMR






19-1193 **2-(2-Nitroxy-acetoxy)-benzoic acid**

$C_9H_7NO_7$
MW 241
mp 136-138⁰C
Off-white powder
Soluble in Chloroform




19-1194 **2-(2-Nitroxy-acetoxy)-benzoic acid 4-nitrooxy-butoxy carbonyl methyl ester**

$C_{15}H_{16}N_2O_{12}$
MW 416
mp 38-40⁰C
White powder
Soluble in chloroform
Structure confirmed by NMR




19-1195 **2-[6-(2-Nitroxy-acetoxy)-naphthalen-2-yl]-propionic acid
Methyl ester**

$C_{16}H_{15}NO_7$
MW 333.30
White powder
Soluble in chloroform
Structure confirmed by NMR




19-1196 **2-[6-(2-Nitroxy-acetoxy)-naphthalen-2-yl]-propionic acid 4-nitrooxy
butoxycarbonyl methyl ester**

$C_{21}H_{22}N_2O_{12}$
MW 494.42
Light yellow syrup
Soluble in chloroform



19-1009 **4-Nitro-benzoic acid methoxycarbonylmethyl ester**

$C_{10}H_9NO_6$
MW 239.19
mp 69-70.5⁰C
Pale yellow powder
Soluble in chloroform





19-1314 **2-(3-(2-(4-Nitrobenzoyloxy) acetoxy) propoxy)-2-oxoethyl 3-nitrobenzoate**


$C_{21}H_{18}N_2O_{12}$

MW 490.38

mp 120-121.8°C

Light cream powder

Structure confirmed by NMR



19-1200 **6-Nitrooxy-hexanoic acid 6-(1-{2-[2-(2-{2-[6-(6-nitrooxy-hexanoyloxy)-naphthalen-2-yl]-propionyloxy}-acetoxy)-acetoxy]-ethoxycarbonylmethoxycarbonyl methoxy carbonyl}-ethyl)-naphthalen-2-yl ester**

$C_{48}H_{52}N_2O_{22}$


MW 1008

mp 45.3-47°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1201 **6-Nitrooxy-hexanoic acid 3-[4-(6-nitrooxy-hexanoyloxy)-phenyl]-4-oxo-4H-chromen-7-yl ester**


$C_{27}H_{28}N_2O_{12}$

MW 572

mp 100-102°C

Off white powder

Structure confirmed by NMR



19-1203 **2-(6-Nitrooxy-hexanoyloxy)-benzoic acid carboxy methyl ester**

$C_{15}H_{17}NO_9$


MW 355.30

mp 87.5-89.5°C

White powder

Soluble in chloroform

Structure confirmed by NMR





19-1204 **2-(6-Nitrooxy-hexanoyloxy)-benzoic acid (2-hydroxy-1-hydroxy methyl-1-Methyl-ethylcarbamoyl)-methyl ester**


$C_{19}H_{26}N_2O_{10}$

MW 442

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-1205 **2-(6-Nitrooxy-hexanoyloxy)-benzoic acid 4-nitrooxy-butoxy carbonyl methyl ester**


$C_{19}H_{24}N_2O_{12}$

MW 472.41

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-1206 **2-(6-Nitrooxy-hexanoyloxy)-benzoic acid (2,2,5-trimethyl [1,3]dioxin-5-yl carbamoyl)-methyl ester**


$C_{22}H_{30}N_2O_{10}$

MW 482

Light yellow syrup

Soluble in chloroform

Structure confirmed by NMR



19-840 **(4-Nitro-phenoxy)-acetic acid**


$C_8H_7NO_5$

MW 197.15

mp 186-188.5°C

White shining powder

Soluble in DMF



19-841 **(4-Nitro-phenoxy)-acetic acid 2-hydroxy-ethyl ester**


$C_{10}H_{11}NO_6$

MW 241.20

mp 73.5-75.5°C

White powder

Soluble in chloroform





19-1011 (4-Nitro-phenoxy)-acetic acid methoxy carbonylmethyl ester

$C_{11}H_{11}NO_7$


MW 269.21

mp 88-90°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-843 (4-Nitro-phenoxy)-acetic acid 2-[2-(4-nitro-phenoxy)-acetoxy]-ethyl ester


$C_{18}H_{16}N_2O_{10}$

MW 420.34

mp 138-139°C

White powder

Soluble in DMF



19-1082 (4-Nitro-phenoxy carbonylmethoxy)-acetic acid 4-nitro-phenyl ester

$C_{16}H_{12}N_2O_9$


MW 376.28

mp 161-163.6°C

White powder

Soluble in chloroform

Structure confirmed by NMR



19-1012 [2-(4-Nitrophenoxy)-ethoxy] acetic acid methyl ester


$C_{11}H_{13}NO_6$

MW 255.23

mp 96-97.8°C

White fluffy powder

Structure confirmed by NMR



19-844 6-(4-Nitro-phenoxy)-hexanoic acid


$C_{12}H_{15}NO_5$

MW 253.26

mp 103.8-106°C

White powder

Soluble in DMF






19-845 **6-(4-Nitro-phenoxy)-hexanoic acid 2-hydroxy ethyl ester**

$C_{14}H_{19}NO_6$

MW 297.31

Light yellow syrup

Soluble in chloroform



19-846 **6-(4-Nitro-phenoxy)-hexanoic acid methyl ester**


$C_{13}H_{17}NO_5$

MW 267.28

mp 85.5-86.8°C

White powder

Soluble in chloroform



19-847 **2-(4-Nitrophenoxy)-propionic acid**


$C_9H_9NO_5$

MW 211.18

mp 138.5-140.8°C

White powder

Soluble in DMF



19-1015 **2-(4-Nitro-phenoxy)-propionic acid 2-hydroxy ethyl ester**


$C_{11}H_{13}NO_6$

MW 255.23

Syrup

Soluble in chloroform

Structure confirmed by NMR



19-848 **2-(4-Nitro-phenoxy)-propionic acid methyl ester**


$C_{10}H_{11}NO_5$

MW 225.20

mp 83-84°C

White fluffy powder

Soluble in chloroform




19-1014 **2-(4-Nitro-phenoxy)-propionic acid 2-[2-(4-nitro-phenoxy)-acetoxy]-ethyl ester**

$C_{19}H_{18}N_2O_{10}$

MW 434.36

Yellow low melting solid

Soluble in chloroform






19-1315 **2,2'-(2-((2-(4-nitrophenyl)-2-oxoethoxy) carbonyloxy) propane-1,3-diyl)bis(oxy) Bis (2-oxoethane-2,1-diyl)bis (4-nitrobenzoate)**

$C_{30}H_{23}N_3O_{18}$

MW 713.53

Light yellow syrup

Structure confirmed by NMR



19-1337 **Octadecanoic acid benzyloxycarbonylmethyl ester**


$C_{27}H_{44}O_4$

MW 432.65

mp 48-50

White powder

Soluble in Chloroform



19-1338 **Octanedioic acid bis-[5-chloro-2-(2,4-dichloro-phenoxy)-phenyl] ester**


$C_{32}H_{24}Cl_6O_6$

MW 717.26

mp 81-83⁰C

White powder

Structure confirmed by NMR



19-1339 **Octadecanoic acid carboxymethyl ester**


$C_{20}H_{38}O_4$

MW 342.52

mp 92-93⁰C

White fluffy powder

Soluble in chloroform



19-549 **(2-Oxo-2H-chromen-4-yloxy) acetic acid methyl ester, 98%**


$C_{12}H_{10}O_5$

MW 234.21

mp 179.6-181.2⁰C

White fluffy powder


Soluble in chloroform






19-680 (7-Oxo-7H-furo[3,2-g]chromen-9-yloxy)-acetic acid methyl ester

$C_{14}H_{10}O_6$
MW 274.23
mp 139.5-141°C
White shining powder
Soluble in chloroform




19-550 (2-Oxo-2H-chromen-7-yloxy) acetic acid methyl ester, 98%

$C_{12}H_{10}O_5$
MW 234.21
mp 145-147.1°C
Cream shining powder
Soluble in chloroform




19-598 (4-Oxo-3-phenyl-4H-chromen-7-yloxy)acetic acid ethyl ester, 99%

$C_{19}H_{16}O_5$
MW 324.34
mp 105-106.5°C
White powder shining
Soluble in chloroform




19-774 (7-Oxo-7H-furo[3,2-g]chromen-4-yloxy)-acetic acid methylester, 98%

$C_{14}H_{10}O_6$
MW 274.33
mp 180.6-182.8°C
White powder
Soluble in chloroform




19-647 6-(4-Oxo-3-phenyl-4H-chromen-7-yloxy)-hexanoic acid methyl ester

$C_{22}H_{22}O_5$
MW 366.42
mp 119.3-122.3°C
White powder
Soluble in chloroform



19-700 6-[7-Oxo-7H-furo[3,2-g]chromen-9-yloxy]-hexanoic acid methyl ester, 99%


$C_{18}H_{18}O_6$
MW 330.34
mp 49-50.5°C
White powder
Soluble in chloroform






19-775 **6-(7-Oxo-7H-furo[3,2-g]chromen-4-yloxy)-
hexanoic acid methylester, 98%**

$C_{18}H_{18}O_6$
MW 330.34
mp 98.8-101.8°C
White powder
Soluble in chloroform




19-701 **2-(7-Oxo-7H-furo[3,2-g]chromen-9-yloxy)-
propionic acid methyl ester, 99%**

$C_{15}H_{12}O_6$
MW 288.26
mp 104.5-105.6°C
White powder
Soluble in chloroform




19-776 **2-(7-Oxo-7H-furo[3,2-g]chromen-4-yloxy)-
propionic acid methylester, 98%**

$C_{15}H_{12}O_6$
MW 288.26
mp 149.6-151.6°C
White powder
Soluble in chloroform




19-1316 **2,2'-(2-2'-oxybis(ethane-2,1-diyl)bis(oxy)bis(2-oxoethane-2,1-diyl)bis(4-
aminobenzoate)**

$C_{22}H_{24}N_2O_9$
MW 460.66
mp 136-137°C
Structure confirmed by NMR



19-1317 **2,2'-(2,2'-oxybis(ethane-2,1-diyl)bis(oxy)bis(2-oxoethane-2,1-diyl) bis(4-
nitrobenzoate)**

$C_{22}H_{20}N_2O_{13}$
MW 520.41
mp 62-64°C
White powder
Structure confirmed by NMR





19-1318 **2-2'-(Propane-1,3-diylbis(oxy) bis (2-oxoethane-2,1-diyl) bis (4-aminobenzoate**


$C_{21}H_{22}N_2O_8$

MW 430.42

mp 130.3-132.4°C

Light brown powder

Structure confirmed by NMR



19-1051 **Tetraamino benzoate**


$C_{40}H_{44}N_4O_{16}$

MW 836.8

mp 192-194.4°C

White fluffy powder

Structure confirmed by NMR



19-1319 **Tetranitro benzoate**


$C_{40}H_{36}N_4O_{24}$

MW 956

mp 117-121°C

Off-White powder


Structure confirmed by NMR



19-1340 **Triclosan glycolic acid stearate**

$C_{32}H_{43}Cl_3O_5$

MW 614.06



19-1017 **Psoralen quinone**

$C_{11}H_4O_5$

MW 216.15

Rose powder

